



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

23-Jan-2018
Page 1 of 1

Report For: MARS Fishcare North America, Inc.
50 E. Hamilton St.
Chalfont, PA 18914
Attn: Brian Bridgwater

Sample Identification:

10-12-8 Dry Tablet
ID: API Aquatic Plant Food Tablets

Date Received: 21-Dec-2017

Laboratory Number: 411252

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	1.6	mg/Kg	0.01	01-09-18 DS
	Cadmium (Cd), Total	< 0.1	mg/Kg	0.01	01-09-18 DS
	Chromium (Cr), Total	1.5	mg/Kg	0.01	01-09-18 DS
	Cobalt (Co), Total	< 0.1	mg/Kg	0.01	01-09-18 DS
	Copper (Cu), Total	0.9	mg/Kg	0.01	01-09-18 DS
	Lead (Pb), Total	< 1	mg/Kg	0.01	01-09-18 DS
EPA 7471	Mercury (Hg), Total	0.035	mg/Kg	0.035	01-09-18 *
EPA 6010	Molybdenum (Mo), Total	2.9	mg/Kg	0.01	01-09-18 DS
	Nickel (Ni), Total	1.1	mg/Kg	0.01	01-09-18 DS
	Zinc (Zn), Total	4.2	mg/Kg	0.01	01-09-18 DS
	Selenium (Se), Total	1.1	mg/Kg	0.11	01-09-18 DS
EPA 3050B	Digestion/Preparation for Analysis		1.0167-100		01-04-18 SR

* Analysis performed by Pace Analytical [#E84809].

THORNTON LABORATORIES
Steve Fickett, III

Thornton Laboratories Testing & Inspection Services, Inc. responsibility for the above analysis, opinions, or interpretations is limited to the invoice amount.